











2846-20

M18™ TOP-OFF™

175W POWER SUPPLY

					
	FULL CHARGES			RUN-TIME (MINS)	
 HD12.0	12X	4.8X	2.7X	280	151
 XC5.0	5.5X	2.0X	1.0X	118	72
 CP2.0	2.4X	0.8X	0.5X	46	27

FITS ALL
M18™
BATTERIES

**NOT FOR
USE WITH:**





2846-20

M18 TOP-OFF™

ALIMENTACIÓN DE ENERGÍA DE 175 W

					
	CARGAS COMPLETAS			TIEMPO DE OPERACIÓN (MIN.)	
 HD12.0	12X	4.8X	2.7X	280	151
 XC5.0	5.5X	2.0X	1.0X	118	72
 CP2.0	2.4X	0.8X	0.5X	46	27

M18™

SE ACOPLA
A TODAS LAS
BATERÍAS M18™

NO SE
USE CON:













2846-20

M18 TOP-OFF™

**SOURCE D'ALIMENTATION
ÉLECTRIQUE DE 175 W**

					
	CHARGES TOTALES			AUTONOMIE (MIN)	
 HD12.0	12X	4.8X	2.7X	280	151
 XC5.0	5.5X	2.0X	1.0X	118	72
 CP2.0	2.4X	0.8X	0.5X	46	27

M18™

**COMPATIBLE
AVEC TOUTES LES
BATTERIES M18™**

**NE PAS
UTILISER
AVEC :**

